Town of Northumberland AGENDA March 13, 2025 8:00 AM

SALUTE THE FLAG

THOSE ATTENDING

Supervisor Willard H. Peck Councilman Paul Bolesh Councilman John DeLisle Councilman George Hodgson Councilwoman Patricia Bryant

PUBLIC PARTICIPATION

APPROVAL OF MINUTES

1. Minutes of the February 13, 2025 Regular Monthly Meeting

CORRESPONDENCE

- 1. Dog Control for February, 2025
- 2. Bid for Hudson Crossing Park 3 stall restroom Trailer

NEW BUSINESS

- 1. Fuel Bid
- 2. Septic Bid

OLD BUSINESS

1. Stonebridge Farm PUD Update

TERM'S EXPIRING IN 2025

Schuyler Park – Stephanie Bowen 05/31/2025 (wishes to be reappointed)

Board of Assessment Review - Jennifer Amidon 09/30/2025

Zoning Board of Appeals: Carl Harrison 04/30/2025 (wishes to be reappointed)

Sarah Mojzer 09/30/2025

Planning Board: Melanie Eggleston 09/30/2025

DESIGNATIONS

- 1. Approve Vouchers for payment as presented.
- 2. Transfer \$200,000 loan from Highway to General Fund
- 3. Transfers

COMMITTEES

Insurance
Municipal Center & Parks
Recycling
Environmental
Youth
Highway

DEPARTMENTS

Town Board Town Clerk Building/Zoning/Planning Highway Supt

ADJOURNMENT

Town of Monthsumbandand Dog Control Officer Monthly Report

Month: <u>Laborary</u> Year:	2025
Complaints answered:	· <u>-</u>
Dogs to shelter:	·
Miles traveled:	
Warnings issued:/	
Summons issued:	
Comments: 2 Bele Carelo	:
W	**
4:	
Edula Cross Are Ed Cross, Dog Control Officer	Date: 3/3/26



SARATOGA COUNTY ANIMAL SHELTER

6010 COUNTY FARM ROAD, BALLSTON SPA, NY 12020 www.saratoga.countyanimalshelter.com

BITE CASE REPORT FORM



TEL 518.885.4113

TOWN NORTHUMBERLAND

	MAME Megas Muschill.
ا ح	ADDRESS 330 (100 d f) 0 C + 5 PHONE# 5/8-160-3007
MIGDIN	AGE 28 PARENT/GUARDIAN (IF UNDER 18)
Z	LOCATION OF WOUND L. COLL
Ξ	DID VICTIM GET MEDICAL ATTENTION: NO.X YES WHERE
	VICTIM SIGNATURE
BITE	DATE OF BITE 0025
亚	WHERE DID THIS HAPPEN 3 thomas Kd. Gan Se 11000
I S	O HOMES Ka, San Sellood
INCIDENT	WHAT HAPPENED by rolated visit to this colders
TWE	dog in apom & child lot dies out the it is all of
	bed (crate) and out and bit in man to put dong en
TOMINE	
CA.L.	NAME AT A C
Ö	CONSTRUCTOR TO ACC
OWNER	NAME Meghan Cootle
	ADDRESS 3 thomas Road VEN Country Side Vata James Keller
မ္တ	WELL BROWNE 200 MACH
HAR	ZIP 1983 PHONE 801 -814 -8 594
Harborer	The Owner or Harborer of this animal has been advised of the conditions of the 10 day conditions. 1) The animal shall be confined independent and agrees to abide by the said
	conditions. 1) The animal shall be confined indoors and allowed outside on a leash under supervision. Public Health about the confinement period, the animal should become girl on the supervision.
ဂ္က	reason.
76 T	Failure to confine your animal could result in a mandatory order that the animal be
TAMEN	ACO/DCO Child a Cross St. DATE 2(11) 25
F	OWNER
	ARRIVED AT SHELTER ON
	1 2 1/251 OK 2.2/2(251 OK 3.2/8/251 OK 4.2/14/251 28
I	ISPECTION 5.2/15/25 " OK 5 2/16/25 " OK 5 2/16/25 " OK
	10.2/30/38A ER
	PARED TO PUBLIC HEALTH 583-1202 OV 643-7389 ANIMAL#
	ANIBALT

<u> ED CROSS ~ D.C.O</u>

Town Of NorThumberland Gansevoort, N.Y. 12831

Telephone # Day-(518) 587-0792 Nights-(518) 793-5485 Cell # (518)361-0689

Dog Control Reports

Date of Call $\frac{2}{11/25}$
Time of call- 10',138 M
Phone# 584 7460 Ext 8396
Incoming calling Party Public 9 feelth
Reason for call: Dos Bite at # 3 Thomas Rel
The same of the sa
Victim is a CAS Sworter C.P.S. Worder Megon Mosoff 320 Sun Gre Soutega Spring Action taken: # 760 - 3007
Action taken: #760 -3007
Confine Duy at Herro Confinent Ends on 2/21/25
Confine Dig at Hem Confinent Ends on 2/21/25 Les & Rulies mot up to Nate
Comments: Dog is a mire Breed Blood
Comments: Dog is a min Breed Block Nomed atlas also Conother Dog is a Springer Spend

1/4.

<u> ED CROSS ~ D.C.O</u>

Town Of NorThumberland Gansevoort, N.Y. 12831

Telephone # Day-(518) 587-0792 Nights-(518) 793-5485 Cell # (518)361-0689

Dog Control Reports

Date of Call of 1
Date of Call 2/10/25
Time of call- 9:00 p.M.
Phone# 584 7460 Et 8396
1000 cot 8396
Incoming calling Party Public Health
Reason for call: Dog Bile at #12 Third St Sensewort & year all Dawson Barnsey Mother is Wendy Darnsey # 796 8208
Donservoort 5 cre all Danie &
mother is mende is
Jarney # 196 8208
Action taken: Dute of Bite is 2/9/25 Bite Sept Charl Dog is a Pit Bull mara Messon Rubies and Lie syste Date
Bite Colo Charl Do 1 254 2 18
P. Dia a O D: O TO WASHING WASHING
hearth and see up to Nate
Comments: Child mus & Litter Bry This
Lot Back in nov, of 24
Dog Back in nov, of 24 This will be a Sheler Confinement
- July Marie

Rental Contract



BILL TO:

Stone Industries, LLC 4305 Route 50 Saratoga Springs, NY 12866

Phone: (518) 584-1048 Fax: (518) 584-8850

CONTRACT#: CONTRACT DATE: DELIVERY DATE:

R268382 6/11/2025 6/11/2025

PICK-UP DATE:

6/13/2025 *

* Pick-ups are done Monday through Friday. Monday pick-ups are not quaranteed.

Hudson Crossing Pa	rk			Hudson	Crossing 1	Park			
P.O Box 128 Gansevoort, NY 128	831			Co Rd 4 Schuyle	42 erville, NY	12871		•	
CONFIRM TO Julia CUSTOMER P.O. DELIVERY PAID BY: DRIVER PICK UP	cc pymt Unit Not Charge	(s) <u>CUS</u>	<u> FOMER</u>		□ Paid Cl	Cleanings/W	□ Special E /eek ———		ar —
	CHECK			NO	- Drive	Signature			_
ITEM NUMBER		ORDERED					PRICE	AMOU	NT
/TRAILERRITZ		1.00					1,260.00	1,260.	00
3-Stall Restroom	Trailer								
/WATER		1.00					75.00	75.0	00
Water for trailers									
/OTHER		1.00					-250.00	-250.6	00
Sponsorship Disc	per SJSL								
Fuel surcharge exemp	ot also								
Sr29E to Schuyler CALL Julie White site) - cc pymt									

SHIP TO:

	Net Order:	1,085.00
3stall BRING H2O	Less Discount:	0.00
	Sales Tax	0.00
	Order Total	1,085.00
	Less Deposit: Order Balance:	108.50 976.50

Fwd: ADA accessible for HCP

From Julie White <jwhite@hudsoncrossingpark.org>

Date Tue 3/11/2025 6:07 PM

To Denise Murphy <TownClerk@townofnorthumberland.org>

Hi Denise-

Thanks for your help. The measurements for the wider ADA port-a -potty.

----- Forwarded message -----

From: Stephanie Schroder-Loveland < stephanie@stoneindustries.com >

Date: Tue, Mar 11, 2025 at 11:22 AM Subject: Re: ADA accessible for HCP

To: Julie White <jwhite@hudsoncrossingpark.org>

Height: 90.5"Width: 66"Depth: 86"

Door opening: 80.8" x 32.7"

On Tue, Mar 11, 2025 at 11:00 AM Julie White <jwhite@hudsoncrossingpark.org > wrote: We received an est jan 9th- just need the measurements to submit for approval

On Tuesday, March 11, 2025, Julie White <jwhite@hudsoncrossingpark.org > wrote: We need the ADA unit, which I understand is larger.

On Tuesday, March 11, 2025, Stephanie Schroder-Loveland < stephanie@stoneindustries.com> wrote:

You mean instead of the wheelchair accessible unit you currently have?

On Tue, Mar 11, 2025 at 10:14 AM Julie White <jwhite@hudsoncrossingpark.org > wrote:

Could you possibly send a formal estimate with measurements of the ADA unit? Thank you!

Julie White
Director of Programs and Facilities
Hudson Crossing Park
www.HudsonCrossingPark.org

(pronouns: she/her)

NOTICE TO BIDDERS

(Septic Tank Pumping)

The Town of Northumberland is soliciting sealed bids for the pumping of Septic Tanks in Sewer District #1 and various municipal buildings for fiscal years 2025-2027

General

All invoices must be submitted on a monthly basis.

Proof of Insurance is required naming the Town of Northumberland as additional insured on a primary and non-contributory basis.

The awarded bidder must sign a contract with a provision holding the "Town of Northumberland" harmless (indemnification) to cover the awarded bidder's actions and actions of their employees.

The Contract will commence April 10,2025 and will end April 10th, 2027. The Town shall have the right to renew the contract for one additional year. Further, the Town may cancel the contract for any reason upon the provision of 30 days' notice.

This contract is subject to the NYS Prevailing Wage Schedule.

Part A – Pumping of Septic Tanks

The bids request is for the pumping of 22 –1,000 gallon septic tanks (plus any on as needed basis) and 1-2,000 gallon septic tank located in Sewer District #1 on Third St., Fourth St., and a portion of Kobor Road in the Hamlet of Gansevoort. The bid price must include the pumping of the septic tank at 42 Leonard Street (Highway Garage) and 17 Catherine Street (Town Hall). Each tank will be pumped once in the two-year contract period of 2025 – 2027.

The bid price must include cost for digging up tanks for pumping and provision of any extra hoses or equipment that must be utilized to perform the task. Anyone wishing to review the area to be pumped prior to submitting a bid may contact the Highway Superintendent at 518-793-6901.

The contract is for a two- year period. It is anticipated that one half of the tanks will be pumped in year one and the remaining tanks in year two.

Bidding Process

All bidders must submit a Bid Proposal on the Bid Form which is available from the Town Clerk and must be received in a sealed envelope no later than close of business (4:00 p.m.) on Wednesday April 9,2025 and must be addressed to the "Bid Committee-Septic Tank Pumping," Town of Northumberland, PO Box 128, Gansevoort, NY 12831. In addition, each bid must be accompanied by a Non-Collusive Bidding Certificate which is available at the Town Clerk's Office. Bids will be opened and read on Wednesday, March 13,2025 at Town Hall. The Town Board reserves the right to reject any and all bids, waive any irregularities in bidding and accept the bid that is best suited for the Town. No bids received may be withdrawn by any bidder for a period of ninety (90) days from the date of the bid opening.

Denise Murphy, Town Clerk (518) 792-9179 x 110

Email: townclerk@townofnorthumberland.org.

"Town of Northumberland Notice to Bidders" The Northumberland Town Board announces its intention to bid for the purchase of Diesel / Blend Fuel & Unleaded Fuel for the Highway Garage for fiscal year 2025. The cost shall be made up by using Albany Reseller Tank Car average price posted on March 25th, 2025 plus a firm differential which makes the net price per gallon. The bid must provide for one (1) 500-gallon double wall tank, for unleaded fuel and fuel dispenser with gallon meter. The fuel tank and fuel dispenser will be kept at 42 Leonard Street (State Route 32) for the term of this agreement. Town of Northumberland will be responsible to ensure that the operation and maintenance of the tank are in full compliance with all applicable state and local laws and regulations for Petroleum Bulk Storage (PBS) facilities, including the registration of the tank with the New York State Department of Environmental Conservation (NYS DEC). The bidder shall provide the following information with the bid: credit terms, automatic delivery schedule, burner service availability and typical analysis of products. Sealed bids must be received on or before April 9th, 2025, Noon. All bids must be addressed to the Bid Committee, Town of Northumberland, PO Box 128, 17 Catherine Street, Gansevoort NY 12831. The Town has the right to reject any or all bids.

Denise Murphy, Town Clerk

Bidding Process

All bidders must submit a Bid Proposal for the supply of unleaded Fuel on the Bid Form which is available from the Town Clerk and must be received in a sealed envelope no later than Noon on Wednesday, April 9th, 2025 and must be addressed to the "Bid Committee – Fuel Supply," Town of Northumberland, PO Box 128, 17 Catherine Street, Gansevoort, NY 12831. In addition, each bid must be accompanied by a Non-Collusive Bidding Certificate which is available at the Town Clerk's Office. Bids will be opened and read aloud on Thursday April 10th, 2025 at 8:00 a.m. at Town Hall. The Town Board reserves the right to reject any and all bids, waive any irregularities in bidding and accept the bid that is best suited for the Town. No bids received may be withdrawn by any bidder for a period of ninety (90) days from the date of the bid opening.

Denise Murphy, Town Clerk

TOWN OF NORTHUMBERLAND

Purchase and Delivery of Unleaded Gasoline and Diesel/Blend Fuel BID FORM

Unleaded Gasoline and 500 Gallon Tank with Electric Dispenser

•	0 Gallon Tank with Electric Dispenser will be Albany Reseller Tank Car average on March
	\$ per gallon over Albany Reseller Tank Car average
	over Albany Reseller Tank Car average
and/or	
The provision of Diesel/Blend Fuel to the following amount over the Albany Reseller	Town's storage tank will be provided for the Tank Car average on March 25, 2025
·	\$ per gallon over Albany Reseller Tank Car average
Include the following information:	
Automatic Delivery Schedule:	
Typical Analysis of Products: Attach Analysis	sis
Burner Service Availability:	
	reserves the right to consider bids for a period a time no bidder may withdraw his or her bid, to accept or to reject any or all bids.
Communications concerning this Bid shall b	e addressed to:
Bid Committee – Fuel Supply	
Town of Northumberland	
PO Box 128	
17 Catherine Street Gansevoort, NY 12831	
Submitted On, 2025	
Company	
	Address
Signature	Phone Number
Print Name	••

NON-COLLUSIVE BIDDING CERTIFICATION

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, and under penalty of perjury that to the best of knowledge and belief:

- (1) The prices in this bid have been arrived at independently, without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;
- (2) Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to the opening directly or indirectly, to any other bidder or to any competitor; and
- (3) No attempt has been made or will be made by the bidder to induce any other person, partnership, or corporation to submit or not to submit a bid, for the purpose of restricting competition.

	SIGNED:
	TITLE:
DATED:	FIRM:

2024 TRANSFERS

General Fund

From			То	
A1110.4	\$	3,527.27	A1110.1	\$ 2,688.79
			A1220.2	\$ -
			A1450.4	\$
			A7510.1	\$
			A5010.2	\$
A1220.1	\$	12,941.96	A1220.11	\$ 8,309.61
			A1010.4	\$ 2,274.13
			A3510.4	\$ 527.31
			A3510.1	\$ 1,039.96
			A1410.1	\$ 298.88
			A1620.1	\$ 492.07
A1220.4	\$	2,663.67	A1440.4	\$ 2,663.67
A1355.4	\$	2,619.48	A1440.4	\$ 655.42
			A3620.4	\$ 1,519.50
			A1010.1	\$ 0.16
			A1620.1	\$ 444.40
A1355.1	\$	2,443.54	A1620.1	\$ 2,443.54
A1410.2	\$	198.00	A1620.1	\$ 198.00
A1410.4	\$	521.19	A1620.1	\$ 521.19
A1420.1	\$	331.96	A1620.1	\$ 331.96
A1420.4	\$	3,156.44	A1620.1	\$ 3,156.44
A1990.4	\$:	20,000.00	A1620.1	\$ 1,300.66
			A1910.4	\$ 5,434.66
			A1920.4	\$ 99.00
			A1620.4	\$ 6,485.52
			A1640.4	\$ 6,680.16
A3310.4	\$	2,953.82	A1640.4	\$ 2,953.82

A3620.1	\$ 20,784.69	,	A1640.4	\$ 11,910.38	
		,	A8010.1	\$ 8,570.04	
		1	\8160.4	\$ 201.97	
		,	\8020.1	\$ 102.30	
A3620.2	\$ 1,392.10	,	\8020.1	\$ 1,392.10	
A4068.4	\$ 3,525.10	ļ	\8020.1	\$ 3,525.10	
A5010.1	\$ 14,405.92	ŀ	\8020.1	\$ 14,405.92	
A5182.4	\$ 743.36	A	\8020.1	\$ 743.36	
A6672.4	\$ 456.00	A	\8020.1	\$ 456.00	
A7110.1	\$ 4,219.49	Į.	\8020.1	\$ 345.14	
		A	8160.1	\$ 201.97	
		P	8160.41	\$ 957.60	
		Ą	8160.41	\$ 2,714.78	
A7110.4	\$ 4,219.29	Д	7110.1	\$ 4,219.29	
A7710.4	\$ 0.20	Δ	7110.1	\$ 0.20	
A7310.4	\$ 2,766.08	Д	8160.4	\$ 2,766.08	
A7310.1	\$ 3,557.91	Α	8160.4	\$ 3,557.91	
A7620.4	\$ 2,853.94	Α	8160.4	\$ 2,853.94	
A7320.4	\$ 1,600.00	А	8160.4	\$ 1,600.00	
A8020.4	\$ 2,236.42	А	8160.4	\$ 2,236.42	
A1110.2	\$ 41.28	А	9010.8	\$ 41.28	
A1355.2	\$ 240.00	А	9010.8	\$ 240.00	
A3510.41	\$ 400.00	А	9010.8	\$ 400.00	
A3510.42	\$ 400.00	А	0910.85	\$ 400.00	
A4010.1	\$ 10.00	А	9010.8	\$ 10.00	

A5010.4	\$	249.73	A9010.8	\$ 249.73
A7510.4	\$	931.65	A9010.8	\$ 931.65
A8010.4	\$	122.15	A9010.8	\$ 122.15
A8020.2	\$	500.00	A9010.8	\$ 500.00
A8020.4	\$	449.08	A9010.8	\$ 449.08
A9050.8	\$ 2	2,245.74	A9010.8	\$ 2,245.74
A599	\$ 25	5,692.95	A1110.2	\$ 41.28
			A9010.8	\$ 7,442.63
			A9030.8	\$ 11,021.60
			A9060.8	\$ 7,187.44

2024 TRANSFERS

HIGHWAY FUND

B					
DA5130.2	\$	145,056.08	DA5112.2	\$	145,056.08
DA5130.4	\$	16,324.90	DA5112,2	\$	2,126.72
			DA5110.1	\$	14,198.18
				*	- ,,
DA5140.1	\$	12,000.00	DA5110.1	\$	12,000.00
DAE440.4					
DA5140.4	\$	9,261.44	DA5110.1	\$	9,261.44
DA6292.4	\$	600.00	DA5142.1		222
	Ψ	000.00	DA0142.1	\$	600.00
DA8760.4	\$	1,000.00	DA5142.1	\$	1,000.00
				Ψ	1,000.00
DA9040.8	\$	55,135.00	DA5142.1	\$	41,994.39
			DA5110.4	\$	13,140.61
D40000 0					
DA9060.8	\$	8,651.42	DA9030.8	\$	6,217.17
			DA9050.8	\$	535.54
			DA9055.8	\$	194.45
			DA9010.8	\$	1,704.26
DA9089.8	\$	2,455.29	DA0010 0	φ.	0.455.00
	Ψ	2,400.20	DA9010.8	\$	2,455.29
DA599	\$	4,469.19	DA9010.8	\$	4,469.19
			27.00 20,0	Ψ	4,403.13
DA5142.4	\$	27,829.51	DA5110.4	\$	27,829.51
D	_				•
DA9050.8	\$	1,071.08	DA5110.4	\$	1,071.08
DA9055.8	\$	200.00	D. I. T. J. J.		
DA0000.0	Ф	388.90	DA5110.4	\$	388.90
DA599	\$	18,412.17	DA5110.4	\$	10 410 47
	т	, , == , = ,	DUOTIO'4	Φ	18,412.17
DA599	\$	0.03	DA5110.1	\$	0.03
				Ψ.	0.00

2024 TRANSFERS

SEWER FUND

SS599

\$ 1,118.47

SS8120.4

\$ 1,188.47